

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/075,913	11/13/2001	James L. Richards	Time.106	Time.106 1723	
29099	7590 09/27/2005	EXAMINER		INER	
TIME DOMAIN CORPORATION			TORRES, JUAN A		
7057 OLD MADISON PIKE HUNTSVILLE, AL 35806			ART UNIT	PAPER NUMBER	
1101110112	,		2631		
		DATE MAILED: 09/27/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/075,913	RICHARDS, JAMES L.			
Office Action Summary	Examiner	Art Unit			
	Juan A. Torres	2631			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 13 No. This action is FINAL. 2b) ☐ This Since this application is in condition for allowant closed in accordance with the practice under E.	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-36 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-36 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on 13 November 2001 is/are	election requirement.	ed to by the Examiner.			
 10) ☐ The drawing(s) filed on 13 November 2001 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/075,913

Art Unit: 2631

DETAILED ACTION

Drawings

Figures 1A, 1B, 2A, 2B, 3, 4, 5A, 5B, 5C, 5D, 5E, 5F, 5G and 5H should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 1606, 1610, 1616, 1620, 1622, 1808, 1820, 1816 and 1818. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and

informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

Specification

The disclosure is objected to because of the following informalities:

- a) In page 14 line 32 the recitation "10 KHz" is improper; it is suggested to be changed to "10 kHz".
- b) In page 15 line 2 the recitation "10 KHz" is improper; it is suggested to be changed to "10 kHz".
- c) In page 17 line 15 the recitation "TM-UWB" is improper; it is suggested to be changed to "Time Modulated Ultra WideBand (TM-UWB)".
- d) In page 33 line 31 the recitation "peak 908" is improper; it is suggested to be changed to "peak 910".

Appropriate correction is required.

Claim Objections

Claim 28 is objected to because of the following informalities: in line 2 of claim 28 the recitation "in the resence" is improper; it is suggested to be changed to "in the presence". Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 13 and 26 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The specification doesn't disclose: square wave pulses, sawtooth wave pulses, Haar wavelet pulses, doublet pulses, triplet pulses and set of wavelets pulses.

Claims 29-31 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The specification doesn't disclose that the plurality of pulses is subdivided into pulse groups interspersed with time periods without pulses

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 27-31 and 36 are rejected under 35 U.S.C. 102(b) as being anticipated by Fullerton (US 5677927 A).

As per claim 27 Fullerton discloses a method for separating the multipath responses of a plurality of pulses, comprising the steps of transmitting a plurality of pulses having predefined pulse characteristic, where a predefined pulse characteristic

corresponds to a pulse position in time (figures 1A-3 and 10 column 13 line 22 to column 16 line 37; and figures 1A-3 column 8 lines 18-67 and column 9 lines 28-57); receiving the plurality of pulses in accordance with the predefined pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); determining cross coupling value for a first pulse relative to a second pulse (figures 16A-16C column 17 lines 1-22); and separating the multipath response of the first pulse from the multipath response of the second pulse using the at least one cross coupling value (figures 1A, 6A-8D, 29 and 31 column 8 lines 18-67; column 11 line 21 to column 12 line 33; column 28 lines 2-30; and column 28 lines 40-47).

As per claim 28 Fullerton discloses claim 27. Fullerton also discloses that the cross coupling value is determined adaptively to maintain operation in the presence of scenario dynamics, where the scenario dynamics comprises motion of an object in the environment, motion of a transmitter, and motion of a receiver (figure 29 column 28 lines 2-30).

As per claim 29 Fullerton discloses claim 27. Fullerton also discloses that the plurality of pulses is subdivided into pulse groups interspersed with time periods without pulses (figure 29 column 28 lines 2-30).

As per claim 30 Fullerton discloses claim 29. Fullerton also discloses that the time period without pulses allows for the decay of multipath energy produced by the preceding pulse group (figures 26A-27G column 26 line 49 to column 27 line 21; figure 29 column 28 lines 2-30).

As per claim 31 Fullerton discloses claim 29. Fullerton also discloses that the time periods without pulses allow for reception of pulses between transmissions of pulse groups (figures 26A-27G column 26 line 49 to column 27 line21; figure 29 column 28 lines 2-30).

As per claim 36 Fullerton discloses a method for positioning a pulse, comprising the step of positioning the pulse in time based on the multipath response of a preceding pulse (figures 3, 6A-8D, 29 and 31; column 9 lines 28-57; column 11 line 21 to column 12 line 33; column 28 lines 2-30; and column 28 lines 40-47).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-26 and 32-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fullerton (US 5677927 A) in view of Kleider (US 6154489 A).

As per claims 1 and 14 Fullerton discloses a method and apparatus for determining a pulse characteristic of a transmitted pulse, comprising the steps of transmitting a first pulse having a first pulse characteristic (figure 3 and figure 10 column 13 line 22 to column 16 line 37); receiving the transmitted pulse having the first pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); and determining multipath response characteristic of the received first pulse (figure 6A-8D column 11 line 21 to column 12

line 33). Fullerton doesn't disclose determining a second pulse characteristic of a second transmitted pulse based on the multipath response characteristic. Kleider discloses determining a second pulse characteristic of a second transmitted pulse based on the multipath response characteristic (figure 1 column 6 line 16 to column 7 line 50). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 1 and 14.

As per claims 2 and 15 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses a pulse characteristic of the first and second pulse characteristic corresponds to a pulse position in time (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted

signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 2 and 15.

As per claims 3 and 16 Fullerton and Kleider disclose claims 2 and 15. Fullerton also discloses multipath response characteristics comprising a zero crossing point and where the first pulse is positioned at the zero crossing point (figures 1A, 6A-8D and 31 column 8 lines 18-67; column 11 line 21 to column 12 line 33; and column 28 lines 40-47). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract).

Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 3 and 16.

As per claims 4 and 17 Fullerton and Kleider disclose claims 3 and 16. Fullerton also discloses that the zero crossing minimizes coupling between the first pulse and the second pulse (figures 1A, 6A-8D and 31 column 8 lines 18-67; column 11 line 21 to column 12 line 33; and column 28 lines 40-47). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to

responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 4 and 17.

As per claims 5 and 18 Fullerton and Kleider disclose claims 2 and 15. Fullerton also discloses that the multipath response characteristic comprises a maximum response point and where the first pulse is positioned at the maximum response point (figures 1A, 6A-8D and 31 column 8 lines 18-67; column 11 line 21 to column 12 line 33; and column 28 lines 40-47). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 5 and 18.

As per claims 6 and 19 Fullerton and Kleider disclose claims 5 and 18. Fullerton also discloses that the signal of the first pulse is enhanced by the multipath signal of the second pulse (figures 1A, 6A-8D and 31 column 8 lines 18-67; column 11 line 21 to column 12 line 33; and column 28 lines 40-47). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to

incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 6 and 19.

As per claims 7 and 20 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses transmitting the first pulse having the first pulse characteristic and the second pulse having the second pulse characteristic (figure 3 and figure 10 column 13 line 22 to column 16 line 37); receiving the first pulse having the first pulse characteristic and the second pulse having the second pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); and separating the multipath response of the first pulse from the multipath response of the second pulse by solving simultaneous equations (figures 1A-3 column 8 line 19 to column 9 line 57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 7 and 20.

As per claims 8 and 21 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses a pulse characteristic of the first and second pulse characteristic corresponds to a pulse amplitude characteristic (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 8 and 21.

As per claims 9 and 22 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses a pulse characteristic of the first and second pulse characteristic corresponds to a pulse width characteristic (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 9 and 22.

As per claims 10 and 23 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses a pulse characteristic of the first and second pulse characteristic corresponds to a pulse polarity characteristic (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 10 and 23.

Page 12

As per claims 11 and 24 Fullerton and Kleider disclose claims 10 and 23. Fullerton also discloses that the pulse polarity characteristic comprises whether a pulse is inverted (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 11 and 24.

Application/Control Number: 10/075,913 Page 13

Art Unit: 2631

As per claims 12 and 25 Fullerton and Kleider disclose claims 1 and 14. Fullerton also discloses a pulse characteristic of the first and second pulse characteristic corresponds to a pulse type characteristic (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 12 and 25.

As per claims 13 and 26 Fullerton and Kleider disclose claims 12 and 25.

Fullerton also discloses that the pulse type characteristic comprises at least one of: a square wave pulse; a sawtooth pulse; a Haar wavelet pulse; a gaussian monopulse; a doublet pulse; a triplet pulse; and a set of wavelets (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton.

The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted

signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claims 13 and 26.

As per claim 32 Fullerton discloses a method for determining characteristics of a pulse comprising the steps of transmitting from a first transceiver, a pulse having a first pulse characteristic, where the pulse characteristic corresponds to a pulse position in time (figures 1A-3 and 10 column 13 line 22 to column 16 line 37; and figures 1A-3 column 8 lines 18-67 and column 9 lines 28-57); receiving at a second transceiver the transmitted pulse in accordance with the first pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); determining at the second transceiver a multipath response characteristic of the received pulse (figure 6A-8D column 11 line 21 to column 12 line 33); a pulse characteristic of the first and second pulse characteristic corresponds to a pulse position in time (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton doesn't disclose determining at the second transceiver a second pulse characteristic of the pulse using the multipath response characteristic, where a pulse characteristic corresponds to a pulse position in time; communicating from the second transceiver to the first transceiver the second pulse characteristic of the pulse; and transmitting from and receiving at the first and second transceiver a pulse having the second pulse characteristic. Kleider discloses determining at the second transceiver the characteristics using the multipath response (figure 1 column 6 line 16 to column 7 line 50); communicating from the second transceiver to the first transceiver the characteristic of the signal (figure 1 blocks 127 and 115 column 6 line 16 to column 7

Page 15

line 50); and transmitting from and receiving at the first and second transceiver signals having the second signal characteristics (figure 1 blocks 115, 109, 111, 113 and 102; column 6 line 16 to column 7 line 50). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claim 32.

As per claim 33 Fullerton discloses a system, comprising a first transceiver capable of transmitting a pulse having a first pulse characteristic, where a pulse characteristic corresponds to a pulse position in time (figures 1A-3 and 10 column 13 line 22 to column 16 line 37; and figures 1A-3 column 8 lines 18-67 and column 9 lines 28-57); a second transceiver capable of receiving the transmitted pulse in accordance with the first pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); the second transceiver capable of determining multipath response characteristic of the received pulse (figure 6A-8D column 11 line 21 to column 12 line 33); where a pulse characteristic corresponds to a pulse position in time (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton doesn't disclose that the second transceiver capable of communicating the second pulse characteristic of the pulse to the first transceiver; and the first and second

transceiver capable of transmitting and receiving a pulse having the second pulse characteristic. Kleider discloses that the second transceiver capable of determining a second characteristic using the multipath response characteristic (figure 1 column 6 line 16 to column 7 line 50); second transceiver capable of communicating the second characteristic to the first transceiver (figure 1 blocks 127 and 115 column 6 line 16 to column 7 line 50); and the first and second transceiver capable of transmitting and receiving the second pulse characteristic (figure 1 blocks 115, 109, 111, 113 and 102; column 6 line 16 to column 7 line 50). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claim 33.

As per claim 34 Fullerton discloses a method for determining a pulse characteristic, comprising the steps of transmitting from a first transceiver, a pulse having a first pulse characteristic, where the first pulse characteristic corresponds to a pulse position in time (figures 1A-3 and 10 column 13 line 22 to column 16 line 37; and figures 1A-3 column 8 lines 18-67 and column 9 lines 28-57); receiving at a second transceiver the transmitted pulse in accordance with the first pulse characteristic (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to

Application/Control Number: 10/075,913

Art Unit: 2631

column 18 line 7); determining at the second transceiver a multipath response characteristic of the received pulse (figure 6A-8D column 11 line 21 to column 12 line 33), where the pulse characteristic corresponds to a pulse position in time (figures 1A) and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton doesn't disclose determining at the second transceiver a second pulse characteristic of the pulse using the multipath response characteristic; transmitting from the second transceiver, a pulse having the second pulse characteristic; searching for and receiving at the first transceiver the transmitted pulse having the second pulse characteristic; transmitting from and receiving at the first and second transceiver at least one pulse having the second pulse characteristic. Kleider discloses determining at the second transceiver a characteristic of the signal using the multipath response characteristic (figure 1 column 6 line 16 to column 7 line 50); transmitting from the second transceiver, the characteristic (figure 1 blocks 127 and 115 column 6 line 16 to column 7 line 50); searching for and receiving at the first transceiver the transmitted characteristic (figure 1 block 115; column 6 line 16 to column 7 line 50); transmitting from and receiving at the first and second transceiver having the second characteristic (figure 1 blocks 115, 109, 111, 113 and 102; column 6 line 16 to column 7 line 50). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the

characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claim 34.

As per claim 35 Fullerton discloses a system, comprising a first transceiver capable of transmitting pulse having a first pulse characteristic, where the pulse characteristic corresponds to a pulse position in time (figures 1A-3 and 10 column 13 line 22 to column 16 line 37; and figures 1A-3 column 8 lines 18-67 and column 9 lines 28-57); a second transceiver capable of receiving the transmitted pulse in accordance with the first pulse characteristic, the second transceiver capable of determining a multipath response characteristic of the received pulse (figures 6A-8D and 14; column 11 line 21 to column 12 line 33; and column 16 line 38 to column 18 line 7); where the pulse characteristic corresponds to a pulse position in time (figures 1A and 3 column 8 lines 18-67 and column 9 lines 28-57). Fullerton doesn't disclose that the second transceiver capable of determining a second pulse characteristic of the pulse using the multipath response characteristic; the second transceiver capable of transmitting a pulse having the second pulse characteristic; and the first transceiver capable of searching for and receiving the transmitted pulse having the second pulse characteristic, the first and second transceiver capable of transmitting and receiving a pulse having the second pulse characteristic. Kleider discloses that the second transceiver capable of determining a second characteristic of the pulse using the multipath response characteristic (figure 1 column 6 line 16 to column 7 line 50); the second transceiver capable of transmitting the second characteristic (figure 1 blocks

127 and 115 column 6 line 16 to column 7 line 50); and the first transceiver capable of searching for and receiving the transmitted second characteristic (figure 1 block 115; column 6 line 16 to column 7 line 50), the first and second transceiver capable of transmitting and receiving having the second pulse characteristic (figure 1 blocks 115, 109, 111, 113 and 102; column 6 line 16 to column 7 line 50). Fullerton and Kleider teachings are analogous art because they are from the same field of endeavor. At the time of the invention it would have been obvious to a person of ordinary skill in the art to incorporate the adaptive coding disclosed by Kleider with the pulse modulation scheme disclosed by Fullerton. The suggestion/motivation for doing so would have been to responds to changes in the quality of the communications channel modifying the characteristics of the transmitted signal (Kleider abstract). Therefore, it would have been obvious to combine Kleider with Fullerton to obtain the invention as specified in claim 35.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juan A. Torres whose telephone number is (571) 272-3119. The examiner can normally be reached on Monday-Friday 9:00 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad H. Ghayour can be reached on (571) 272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/075,913

Art Unit: 2631

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 20

Juan Alberto Torres 09-22-2005 KEVIN BURD PRIMARY EXAMINER

Application/Control Numbo